


राज्य आपदा रिस्पॉस फोर्स, बिहटा, पटना
(आपदा प्रबंधन विभाग), बिहार

अल्पकालिका निविदा आमंत्रण सूचना सं० 23/15

1. विभाग का नाम – राज्य आपदा रिस्पॉस फोर्स, बिहटा, पटना।
2. विज्ञापनदाता का नाम और पता – समादेष्टा, राज्य आपदा रिस्पॉस फोर्स
(आपदा प्रबंधन विभाग), Opposite IIT Campus and adjacent to HPCL, Lai Road
बिहटा, पटना।
3. निविदा प्राप्ति की तिथि एवं समय – 24 सितम्बर 2015 (गुरुवार) 11 बजे।
4. निविदा खोलने की तिथि एवं समय – 24 सितम्बर 2015 (गुरुवार) 12 बजे।
5. निविदा जमा करने का स्थान – Emergency Control Room,
आपदा प्रबंधन विभाग,
पुरानी सचिवालय, पटना, बिहार
(Contact No-8084101239)
6. क्य किये जाने वाले उपकरणों/सामग्रियों का ब्योरा।

क्रमांक	मद का नाम एवं गुणस्तर	खरीद की मात्रा (अदद में)
1.	Reciprocating Saw	48 Nos
2.	Blade for Reciprocating Saw Wood(Wood Cutting)	480 Nos
3.	Blade for Reciprocating Saw Metal(Metal Cutting)	480 Nos
4.	Rotary Hammer Drill (BIS/DIN/EN/IS or EQUIVALENT)	48 Nos
5.	Rotary Drill Bit for Rotary Hammer Drill (BIS/DIN/EN/IS or EQUIVALENT)	48 Nos

निविदा के नियमों जानकारी के लिए राज्य आपदा रिस्पॉस फोर्स से कार्यालय अवधि के दौरान सम्पर्क किया जा सकता है इसे आपदा प्रबंधन विभाग, बिहार की वेबसाइट www.disastermgmt.bih.nic.in पर भी देखा जा सकता है।


21/08/15
बिनोद कुमार
समादेष्टा
एस०डी०आर०एफ०
बिहटा, पटना

राज्य आपदा रिस्पॉस फोर्स, बिहटा, पटना

(आपदा प्रबंधन विभाग), बिहार

अल्पकालिका निविदा आमंत्रण सूचना सं0 23/15

1. विभाग का नाम – राज्य आपदा रिस्पॉस फोर्स, बिहटा, पटना।
2. विज्ञापनदाता का नाम और पता – समादेष्टा, राज्य आपदा रिस्पॉस फोर्स(आपदा प्रबंधन विभाग), **Opposite IIT Campus and adjacent to HPCL, Lai Road बिहटा, पटना ।**
3. निविदा प्राप्ति की तिथि एवं समय – 24 सितम्बर 2015 (गुरुवार) 11 बजे ।
4. निविदा खोलने की तिथि एवं समय – 24 सितम्बर 2015 (गुरुवार) 12 बजे ।
5. निविदा जमा करने का स्थान – **Emergency Control Room ,**
आपदा प्रबंधन विभाग,
पुरानी सचिवालय, पटना, बिहार
(Contact No-8084101239)
6. कय किये जाने वाले उपकरणों/सामग्रियों का ब्योरा –

क्रमांक	सद का नाम एवं गुणस्तर	खरीद की मात्रा (अदद में)
1.	Reciprocating Saw	48 Nos
2.	Blade for Reciprocating Saw Wood(Wood Cutting)	480 Nos
3.	Blade for Reciprocating Saw Metal(Metal Cutting)	480 Nos
4.	Rotary Hammer Drill (BIS/DIN/EN/IS or EQUIVALENT)	48 Nos
5.	Rotary Drill Bit for Rotary Hammer Drill (BIS/DIN/EN/IS or EQUIVALENT)	48 Nos

1. RECIPROCATING SAW

Name of Equipment/items	Qty to be purchased
<ol style="list-style-type: none">1. Rated power 600W to 800 W at 220-240Volts.2. Stroke rate (at no load)Not less than 2400/Min.3. Stroke length Not less than 28mm.4. Cutting depth,(Wood) Not less than 165mm.5. Cutting depth, (Steel sheet) Notless than 20mm.6.With required accessories and electrical cord of Minimum 5 mtr length with 4 to 5 amp three/two pin plug.7. Rate Current : Not more than 3 Amp.8. Noise Level : < 100 db.9. Spare blades for metal & wood cutting.10 Nos. with suitable protective carry case.	48 NOs

2. BLADE FOR RECIPROCATING SAW WOOD (WOOD CUTTING)

Name of Equipment/item	Qty to be purchased
<ol style="list-style-type: none">a) Blade type: Metal(high carbon steel) blade used for wood cuttingb) Blade length :230mm`c)Compatibility:Compatible with Reciprocating saw equipmentd) TPI:Not let than 05 Tooth per 2.54 Cmse)Blade with:Not less than 19mmf)Thickness:Not less than 1.20 mmg) MaterialThe low alloy cold rolled steel strips in hardened, tempered and polished condition having carbon silicon manganese chromium Nickel Sulphur and Phosphoroush)Hardness 410 HV min 450 HV maxi) Tooth shapeThe tooth shape shall be with 56 gullet angle and 10 rake angle.j)Tooth settingthe provision of the rake setting of the tooth shall be at the discretion of the manufacturer.k)MarkingThe band saw blades shall be marked with the size and manufacturer's name and trade mark at equal spaced intervals over the bands.	480 NOs

LADE FOR RECIPROCATING SAW METAL(METAL CUTTING)

Name of Equipment/item	Qty to be purchased
<p>a) Blade type: Metal blade of High speed steel used for metal cutting</p> <p>b) Blade length :150mm</p> <p>c) Compatibility :Compatible with Reciprocating saw equipment</p> <p>d) TPI: Not less than 23 Tooth per 2.54Cms</p> <p>e) Blade width :Not less than 16 mm</p> <p>f) Thickness: 0.80mm</p> <p>g) Material The low alloy cold rolled steel strips in hardened, tempered and polished condition having carbon silicon manganese chromium Nickel Sulphur and Phosphorus</p> <p>h) Hardness 410 HV min 450 HV max</p> <p>i) Tooth shape The tooth shape shall be with 56 gullet angle and 10 rake angle.</p> <p>j) Tooth setting the provision of the rake setting of the tooth shall be at the discretion of the manufacturer.</p> <p>k) Marking marking The band saw blades shall be marked with the size and manufacturer's name and trade mark at equal spaced intervals over the bands.</p>	480 NOs

4. ROTARY HAMMER DRILL (BIS/DIN/EN/IS or EQUIVALENT)

Name of Equipment/item	Qty to be purchased
<p>01 Voltage - 220 – 250 V</p> <p>Power input – 600 W - 800 W</p> <p>Impact rate (ipm) – 4000 or More</p> <p>Chisel adjustment - 36 position (min.)</p> <p>With Mode Selector Switch for Drilling / Chiseling or Both selection</p> <p>Noise Level : <100db</p> <p>Light weight, shock proof body electrical cord of not less than 5 mtr. in length with 5 amp</p> <p>three/two pin plug. With compatible Drill Bit of 30 CM length -2 Nos</p> <p>With suitable Protective carry case.</p>	48 NOs

5. ROTARY DRILL BIT FOR ROTARY HAMMER DRILL (BIS/DIN/EN/IS or EQUIVALENT)

Name of Equipment/item	Qty to be purchased
<p>Bit type: Metallic bits used for drilling in concrete, metal</p> <p>Bit length: 25.4 Cms & 46 Cms.</p> <p>Bit diameter : 14 mm & 18 mm</p> <p>Compatibility: Compatible with Rotary Hammer drill equipment.</p> <p>The distance between the center of diameter and center of rod shall not exceed 0.8 mm.</p> <p>The eccentricity between shank and rod shall not exceed 0.8 mm.</p> <p>Material – high tensile steel with minimum 55% carbon.</p> <p>Hardness – 230 to 340 HV.</p>	48 NOs

कय किये जाने वाले items के specification की जानकारी के लिए राज्य आपदा रिस्पॉस फोर्स से कार्यालय अवधि के दौरान सम्पर्क किया जा सकता है इसे आपदा प्रबंधन विभाग, बिहार की वेबसाइट www.disastermgmt.bih.nic.in पर भी देखा जा सकता है।

TERMS AND CONDITIONS

7. The tender should be submitted in two parts (a) Technical bid and (2) Financial bid, duly sealed in two separate envelopes. If the two bids are submitted in the same envelope, then it shall be summarily rejected.
8. The rates shall be quoted only in the Financial bid. All charges like BST/CST/Service Tax/VAT etc. Shall be clearly mentioned but net rate (in figures and words) including all taxes etc. Shall be clearly mentioned. Vague offers like "Taxes as applicable" will be summarily rejected. There should be no cutting, overwriting or correction in the rates.
9. All relevant papers/certificates/specification etc. of items must be enclosed in the Technical bid. Authorised dealers/authorized suppliers of manufacturing firm will have to enclose a copy of the authorization letter from the manufacture.
10. The envelopes should be marked Tender No 23/15(Technical Bid) and Tender No 23/15(Financial Bid) alongwith the name and address of the firm. The sealed envelopes containing the Technical and Financial bids should be enclosed in another sealed envelope which should be marked as Tender No-23/15. This envelope should not bear the name and address of the firm.
11. Uptodate Income Tax Returns of the preceding 3 years and photocopy of PAN of the participating firm should be submitted alongwith the technical bid. IT Returns should have stamp and signature of the concerned Firm, whether field manually or electronically.
12. The turn-over of the firm for the financial year 2014-15 should be atleast double the amount of the supply order which is being issued. A copy of the profit and loss a/c of the firm for the financial year 2014-15 certified by a Chartered Accountant should be submitted alongwith the tender. If the tenderer is an authorized dealer and authorized supplier of a manufacturing firm, Then the certified details of the turnover of the firm participating in tender must be enclosed.

13. If the bidder has local corporate office/Local office /Agent/Authorised Dealer in Bihar, registered with Commercial Taxes Department, Govt of Bihar, Patna, the relevant details should be mentioned in the tender. Registration of bidder with the commercial tax Dept,Govt of Bihar is essential .Document regarding Vat registration in Bihar must be enclosed.

14. If there is some discount in the price of any item, it should be deducted from the price itself and should not be quoted separately .

15. It will be responsibility of the successful bidder to deliver the items at SDRF Camp Bihta. The rates should be quoted taking the transportation costs into account.

16. Firms will have to deposit a sum equivalent to ten percent of the bid amount, rounded off to the next thousand , subject to minimum of Rs. 10,000/-(Ten Thousand) and a maximum of Rs. 25,000/-(Twenty Five Thousand) only as earnest money in the form of Bank draft duly pledged in favour of Commandant ,SDRF, Bihta,Patna alongwith the quotations.


17. Technical bids will be opened on 24 September 2015 at 12:00 AM at Emergency Control room, Disaster Management Department,Old Secretariat, Patna(Contact No -8084101239). The representatives of the tenderer may remain present at the time of opening of technical bids.

18. The Technical bids will be put up before the purchase Committee. The date, time and venue of the Purchase Committee meeting for the purpose will be intimated to be tenderer in advance. The representatives of the tenders may remain present in this meeting and may have to participate in discussions with this Committee and/or be required to demonstrate the quoted product. Any more papers/documents will not be accepted after opening the tender.

19. Only those tenders whose technical bids are found successful, their Financial bids will be opened by the Purchase Committee on specified place on date & time to be intimated to bidders in advance. Before opening of price bid demonstration of equipment is essential .No additional time shall be provided for arrangement of sample.Representatives of the tenderers may remain present at the time of opening of the Financial bids.

20. Successful firm will have to enter into an agreement after depositing a sum of 5% of the total value of the stores as security money in the form of Postal Savings Pass Book/NSC/Bank Guarantee duly pledged in favour of Commandant , SDRF, Bihat, Patna.

21. The firm should give details of itemwise after-sale service to be provided by them. Warranty/Guaranty for minimum one year of equipment is required.
22. The firm will be required to supply all the items within 30 days from the date of placing of order. However, the Commandant, SDRF, Bihta, Patna may extend this period in case of genuine difficulties /reasons put up by the firm.
23. Payment for delivered items will be made after receiving OK report from the inspection Committee.
24. The firm whose quotation is approved shall be issued memo of Acceptance of the tender(A/T). Purchase order shall be issued only after the firm enters into agreement with the undersigned. Terms & Conditions of the agreement shall be intimated in the A/T.
25. The firm shall have to ensure Hands on Training of the SDRF personnel.
26. Tender document duly stamped and signed on each page and product browser must be enclosed in technical bid.
27. Commandant, SDRF, Bihta, Patna reserve the right to reject any or all the quotations partially or fully without assigning any reason.


(Binod Kumar)
Commandant
SDRF,Bihta

Dated :