

राज्य आपदा रिस्पॉस फोर्स,बिहटा,पटना  
(आपदा प्रबंधन विभाग),बिहार

अल्पकालिका निविदा आमंत्रण सूचना सं०- 35/2016

1. विभाग का नाम-राज्य आपदा रिस्पॉस फोर्स,बिहटा,पटना।
2. विज्ञापन दाता का नाम और पता -समादेष्टा, राज्य आपदा रिस्पॉस फोर्स (आपदा प्रबंधन विभाग), Opposite IIT Campus and adjacent to HPCL,Lai Road बिहटा, पटना।
3. निविदा प्राप्ति की तिथि एवं समय - 08 सितम्बर 2016 (गुरुवार) 11:00 बजे।
4. निविदा खोलने की तिथि एवं समय - 08 सितम्बर 2016 (गुरुवार) 12:00 बजे।
5. निविदा जमा करने का स्थान - Emergency Control Room ,  
आपदा प्रबंधन विभाग,  
पुरानी सचिवालय,पटना,बिहार
6. कय किये जाने वाले उपकरणों/सामग्रियों का ब्योरा।

क्रमांक	मद का नाम एवं गुण स्तर	खरीद की मात्रा (अदद में)
1.	BUCKET SMALL PLASTIC	78 Nos
2.	BUCKET LARGE PLASTIC	78 Nos
3.	SCENE TAPE 100 M ROLL	72 Nos
4.	HACKSAW REPLACEMENT BLADES 12" L	48 Nos
5.	PAINT BRUSH 3'/4'	216 Nos
6.	RACKS PLASTIC 18"/12"	18 Nos
7.	SPRAY BOTTLES OF 1000CC	78 Nos
8.	SPRAY PAINT ORANGE	144 Nos
9.	EAR PLUG	2400 Nos
10.	SAFETY GOGGLES	216 Nos
11.	HEAVY DUTY WORK GLOVES	96 Nos
12.	NOSE MASK	1200 Nos
13.	ROAP MANILA 100 mtr roll	18 Nos



14.	<b>ROAP NYLON 10mm,12mm,14mm,16mm 100 mtr roll</b>	<b>18 Nos</b>
15.	<b>TRAFFIC CONES</b>	<b>90 Nos</b>
16.	<b>BRICK HAMMER</b>	<b>144 Nos</b>
17.	<b>SAFETY HELMET</b>	<b>548 Nos</b>

निविदा के नियमों की जानकारी के लिए राज्य आपदा रिस्पॉन्स फोर्स से कार्यालय अवधि के दौरान सम्पर्क किया जा सकता है इसे आपदा प्रबंधन विभाग, बिहार की वेबसाइट [www.disastermgmt.bih.nic.in](http://www.disastermgmt.bih.nic.in) तथा पी0आर0डी0, बिहार की वेबसाइट पर भी देखा जा सकता है।



*(Handwritten Signature)*  
समादेश्टा  
एस0डी0आर0एफ0  
बिहटा, पटना

राज्य आपदा रिस्पॉस फोर्स, बिहटा, पटना  
(आपदा प्रबंधन विभाग), बिहार

अल्पकालिका निविदा आमंत्रण सूचना सं०- 35/2016

1. विभाग का नाम-राज्य आपदा रिस्पॉस फोर्स, बिहटा, पटना।
2. विज्ञापन दाता का नाम और पता -समादेष्टा, राज्य आपदा रिस्पॉस फोर्स (आपदा प्रबंधन विभाग), **Opposite IIT Campus and adjacent to HPCL, Lai Road** बिहटा, पटना ।
3. निविदा प्राप्ति की तिथि एवं समय - 08 सितम्बर 2016 (गुरुवार) 11:00 बजे।
4. निविदा खोलने की तिथि एवं समय - 08 सितम्बर 2016 (गुरुवार) 12:00 बजे।
5. निविदा जमा करने का स्थान - **Emergency Control Room ,**  
आपदा प्रबंधन विभाग,  
पुरानी सचिवालय, पटना, बिहार

6. क्रय किये जाने वाले उपकरणों/सामग्रियों का ब्योरा-

क्रमांक	मद का नाम एवं गुण स्तर	खरीद की मात्रा (अदद में)
1.	<b>BUCKET SMALL PLASTIC</b>	<b>78 Nos</b>
2.	<b>BUCKET LARGE PLASTIC</b>	<b>78 Nos</b>
3.	<b>SCENE TAPE 100 M ROLL</b>	<b>72 Nos</b>
4.	<b>HACKSAW REPLACEMENT BLADES 12" L</b>	<b>48 Nos</b>
5.	<b>PAINT BRUSH 3'/4'</b>	<b>216 Nos</b>
6.	<b>RACKS PLASTIC 18"/12"</b>	<b>18 Nos</b>
7.	<b>SPRAY BOTTLES OF 1000CC</b>	<b>78 Nos</b>
8.	<b>SPRAY PAINT ORANGE</b>	<b>144 Nos</b>
9.	<b>EAR PLUG</b>	<b>2400 Nos</b>
10.	<b>SAFETY GOGGLES</b>	<b>216 Nos</b>
11.	<b>HEAVY DUTY WORK GLOVES</b>	<b>96 Nos</b>
12.	<b>NOSE MASK</b>	<b>1200 Nos</b>
13.	<b>ROAP MANILA 100 mtr roll</b>	<b>18 Nos</b>



14.	ROAP NYLON 10mm,12mm,14mm,16mm 100 mtr roll	18 Nos
15.	TRAFFIC CONES	90 Nos
16.	BRICK HAMMER	144 Nos
17.	SAFETY HELMET	548 Nos

### SPECIFICATION OF BUCKET SMALL PLASTIC

Qualitative Requirements	Qty
a) Size : 15 Liter capacity b) Provision: With handle to carry c) Material : Made of plastic <b><u>BIS Specification</u></b> d) The bucket shall be moulded from natural or colored HDPE (high density polythene bucket) e) The HEPE use for injection moulding of buckets shall be of grade 45/55 M.A. ets shall have smooth surface finish without any blemishes. g)The handle shall be rigid and made of metal, coated metal or HDPE.	78 Nos

### SPECIFICATION OF BUCKET SMALL LARGE

Qualitative Requirements	Qty
a) Size : 25 Liter capacity b)Provision: With handle to carry c) Material : Made of plastic <b><u>BIS Specification</u></b> d) The bucket shall be moulded from natural or colored HDPE(High density polythene bucket) e) The HDPE used for injection moulding of buckets shall be of grade 45/55 MA. f)The buckets shall have smooth surface finish without any blemishes. g) The handle shall be rigid and made of metal, coated metal or HDPE.	78 Nos

### SPECIFICATION OF SCENE TAPE 100 mtr roll

Qualitative Requirements	Qty
a) Size : Length 100 meter, width 3" b) Material : PVC tape roll with red & white strips (Red color preferably in fluorescent color) with DANGER written in bold letters	72 Nos

Name and Singature of tenderer with Stamp



### SPECIFICATION OF HACKSAW BLADES 12" L

Qualitative Requirements	Qty
a) Size: 300 mm x 12.5 mm x 0.63 mm b) Blade type: High speed steel blade <b>BIS Specification</b> c) Size: conforming to the size of frame of 250 –300 mm. d) Material: High speed steel e) The blades shall be manufactured reasonably straight true to shape and size. The pinholes shall be neatly punched. f) The out of straightness per 100 mm length of the blade in the longitudinal direction shall not exceed 0.6 mm for all types and sizes of hacksaw blades. g) The blades shall be free from burrs, rust, scale and free from distortion requirements.	48 Nos

### SPECIFICATION OF PAINT BRUSH 3'/4'

Qualitative Requirements	Qty
a) Size : 75 mm (3") b) Material: Hard bristles for cleaning purpose <b>BIS Specification</b> c) The bristles of the brush shall be made of animal hair. d) The handle shall be shaped to suit the ferrule. e) The handle shall be finished smooth all over & properly varnished or lacquered.	216 Nos

### SPECIFICATION OF RACKS (TRAY) PLASTIC 18"/12"

Qualitative Requirements	Qty
a) Size : 18" x 12" x 10" b) Material : Plastic tray for keeping small items	18 Nos

### SPECIFICATION OF SPRAY BOTTLES 1000cc

Qualitative Requirements	Qty
a) Size :- 1000 cc(1 liter) capacity b) Material:- Made of eco friendly thermo setting plastic c) Grip:- With squeeze grip	78 Nos

### SPECIFICATION OF SPRAY PAINT ORANGE

Qualitative Requirements	Qty
a) Weight/Volume:- 300 gm/400 cc b) Color:- Color must be of high contrast, durable & fluorescent c) Knob arrangement:- Press knob for release of paint, the release of paint should be in the form of spray jet.	144 Nos

Name and Singature of tenderer with Stamp



### SPECIFICATION OF EAR PLUG

Qualitative Requirements	Qty
a) Material :- Made of soft eco friendly fiber material, corded b) Provision:- With a lace or same type of other arrangement to keep units of both the ear together c) Application :- To prevent entry of dust & loud sound in the car <b>BIS Specification</b> d) Material coming into contact with the body shall not cause irritation e) It shall be resistant to skin oil, hair oil and ear wax. f) Ear protector shall be made of material which is capable of being cleaned and sterilized. g) Ear Plug should be elastic to the ear canal h) Ear plug should be made so that no deleterious changes occur between -25 and + 55 degree centigrade.	2400 Nos

### SPECIFICATION OF SAFETY GOGGLES

Qualitative Requirements	Qty
a) Color :- Grey/blue b) Material:- Light weight & safe to wear with impact resistant plastic c) Provision:- Adjustable according to the size of the head, loose enough to pass the sweat.	216 Nos

### SPECIFICATION OF HEAVY DUTY WORK GLOVES

Qualitative Requirements	Qty
a) Material:- Made of fine leather, flexible b) Application :- Capable to work with hand held machine c) Size :- Medium, Large and Extra Large	96 Nos

### SPECIFICATION OF NOSE MASK

Qualitative Requirements	Qty
<b>GENERAL</b> Nose mask shall be provided with oxygen supplied tubing fabricated from latex free material with suitable female end connection. This should have elastic strip to fix over nose. The nose mask should also be provided with exhale port on either side.	1200 Nos

Name and Singature of tenderer with Stamp



### SPECIFICATION OF ROPE MANILA 100 mtr roll

Qualitative Requirements	Qty
Rope Manila of size 20 to 25 mm and made from Hessian Fabric with 3 strands laid in s or z pattern.	18 Nos

### SPECIFICATION OF POLYPRO PROPYLENE ROPE (NYLON) 100 mtr roll

Qualitative Requirements	Qty										
. It should be made up of 3 strands, adequate abrasion resistance with following specifications:-	18 Nos										
<table border="1"><thead><tr><th>Size (Dia-mm)</th><th>Breaking strength</th></tr></thead><tbody><tr><td>10 mm</td><td>Should be more than 1500 lbs</td></tr><tr><td>12 mm</td><td>Should be more than 2000 lbs</td></tr><tr><td>14 mm</td><td>Should be more than 3000 lbs</td></tr><tr><td>16 mm</td><td>Should be more than 3500 lbs</td></tr></tbody></table>	Size (Dia-mm)	Breaking strength	10 mm	Should be more than 1500 lbs	12 mm	Should be more than 2000 lbs	14 mm	Should be more than 3000 lbs	16 mm	Should be more than 3500 lbs	
Size (Dia-mm)	Breaking strength										
10 mm	Should be more than 1500 lbs										
12 mm	Should be more than 2000 lbs										
14 mm	Should be more than 3000 lbs										
16 mm	Should be more than 3500 lbs										

### SPECIFICATION OF TRAFFIC CONES

Qualitative Requirements	Qty
The traffic cones should be made by suitable & durable plastic, the base of which should be heavy rectangle to provide stand alone stability with conical body of height not less than 2 ft. It should be painted with orange fluorescent paint with retro reflective strip of 1 to 2 inch width around the conical body at suitable height.	90 Nos

### SPECIFICATION OF BRICK HAMMER

Qualitative Requirements	Qty
a) Weight: 1 lbs b) Provision: One end square shaped & the other flat chisel shaped c) Material & Handle: Iron alloy with Wooden Handle d) Size : Width 4" e) Application : Used fro breaking bricks <b>BIS Specification</b> f) The hammer heads shall be made from fully killed forging quality steel g) The hammer heads shall be hardened & tempered on the striking faces & peins only. h) The striking face shall have hardness between 46 to 58 HRC. i) The hammer heads shall be cleanly forged in one piece.	144 Nos

Name and Singature of tenderer with Stamp



## SPECIFICATION OF SAFETY HELMET

Qualitative Requirements	Qty
<b><u>SPECIFICATION</u></b> i) ISI MARKED : IS : 2925 OF 1984 ii) SHELL MATERIAL : HIGH DENSITY POLYETHYLENE (HDPE) iii) ADJUSTABLE AND DETACHBLE HEAD BAND WITH NAPE STRAP MATERIAL : LOW DENSITY POLYETHYLENE (LDPE) iv) ADJUSTABLE CHIN STRAP : NYLON CHINSTRAP AND RACHET TYPE HEAD BAND v) SLOT FIX DESIGN : PROVISION FOR EASY CLIP ON ACCESSORIES LIKE FACE SHIELDS AND EAR MUFFS.  vi) COLOUR : YELLOW	548 Nos

कृपया किये जाने वाले items के specification की जानकारी के लिए राज्य आपदा रिस्पॉंस फोर्स से कार्यालय अवधि के दौरान सम्पर्क किया जा सकता है इसे आपदा प्रबंधन विभाग, बिहार की वेबसाइट [www.disastermgmt.bih.nic.in](http://www.disastermgmt.bih.nic.in) तथा पी0आर0डी0 बिहार की वेबसाइट पर भी देखा जा सकता है।

### TERMS AND CONDITIONS

7. The tender should be submitted in two parts (a) Technical bid and (2) Financial bid, duly sealed in two separate envelopes. If the two bids are submitted in the same envelope, then it shall be summarily rejected.

8. The rates shall be quoted only in the Financial bid. All charges like BST/CST/Service Tax/VAT etc. Shall be clearly mentioned but net rate (in figures and words) including all taxes etc. Shall be clearly mentioned. Vague offers like "Taxes as applicable" will be summarily rejected. There should be no cutting, overwriting or correction in the rates.

9. The envelopes should be marked "Tender No-35/2016 (Technical Bid) and Tender No- 35/2016 (Financial Bid) along with the name and address of the firm. The sealed envelopes containing the Technical and Financial bids should be enclosed in another sealed envelope which should be marked as "Tender No- 35/2016 and name of the items for which tender has been quoted. This envelope should not bear the name and address of the firm.

Name and Singature of tenderer with Stamp



10. Up to date Income Tax Returns of the preceding 3 years and photocopy of PAN of the participating firm should be submitted along with the technical bid. IT Returns should have stamp and signature of the concerned Firm, whether filed manually or electronically.

11. The turn-over of the firm for the financial year 2015-16 should be at least double the amount of the supply order which is being issued. In case turn over of 2015-16 is not available with the firm turn over of 2014-15 must be enclosed. A copy of the profit and loss a/c of the firm for the financial year 2015-16 or 2014-15 ( as per the availability) certified by a Chartered Accountant should be submitted along with the tender. Turn over of the firm which is participating in the tender formality will only be considered.

12. The firm participating in the tender formality will must be registered with the commercial Tax Department, Govt of Bihar. Tenderer must enclosed copy of the firm's registration. In absence of Registration tender document will be rejected.

13. If there is some discount in the price of any item, it should be deducted from the price itself and should not be quoted separately.


14. It will be responsibility of the successful bidder to deliver the items at SDRF Camp Bihta. The rates should be quoted taking the transportation costs into account. No road permit will be provided by unit for transportation of goods.

15. Firms will have to deposit a sum equivalent to ten percent of the bid amount, rounded off to the next thousand, subject to minimum of Rs. 10,000/- (Ten Thousand) and a maximum of Rs.25,000/- (Twenty Five Thousand) only as earnest money in the form of postal saving pass book/NSC/Bank draft duly pledged in favour of Commandant ,SDRF, Bihta, Patna along with the tender document.

16. Technical bids will be opened on 08 Sep 2016 at 12 AM at State Emergency Control room, Disaster Management Department, Old Secretariat, Patna. The representatives of the tenders may remain present at the time of opening of technical bids.

17. The Technical bids will be put up before the purchase Committee. The date, time and venue of the Purchase Committee meeting for the purpose will be intimated to the tenderer in advance. The representatives of the tenders may remain present in this meeting and may have to participate in discussions with this Committee and are required to demonstrate the quoted product. Any more papers/documents will not be accepted after opening the tender.

Name and Signature of tenderer with Stamp



18. Only those tenders whose technical bids are found successful, their Financial bids will be opened by the Purchase Committee on specified place, date & time to be intimated to bidders in advance. Before opening the price bid, demonstration of item is essential. Representatives of the tenderers may remain present at the time of opening of the Financial bids. No additional time will be provided for arrangement of sample for demonstration. Firm may have to demonstrate within one week. Sample of the firm declared successful shall be retained by unit. Unit may increase or decrease the demand while placing the supply order. It is essential for firms declared successful in technical bid to be present with their equipment for demonstration on specified date & time, otherwise unit/dept may take adverse view.
19. Successful firm will have to enter into an agreement after depositing a sum of 5% of the total value of the stores as security money in the form of Postal Savings Pass Book/NSC/Bank Guarantee duly pledged in favour of Commandant, SDRF, Bihta, Patna.
20. The firm should give details of item wise after-sale service to be provided by them.
21. The firm will be required to supply all the items within 30 days from the date of placing of order. However, the Commandant, SDRF, Bihta, Patna may extend this period in case of genuine difficulties /reasons put up by the firm.
22. Payment for delivered items will be made after receiving OK report from the inspection Committee. The rules applicable for Vat and income tax deductions would be followed.
23. The firm whose quotation is approved shall be issued memo of Acceptance of the tender (A/T). Purchase order shall be issued only after the firm enters into agreement with the undersigned. Terms & Conditions of the agreement shall be intimated in the A/T.
24. The firm shall have to ensure Hands on Training of the SDRF personnel.
25. Product leaflets or Browser must be enclosed in technical bid which can state that the product is meeting the specification. Relevant portion may be marked or underlined.




Name and Signature of tenderer with Stamp

26. The equipment quoted in tender for purchase by the unit must have guarantee/warranty for two year from the date of acceptance of store by unit. Guarantee/Warranty will be comprehensive i.e inclusive of all consumables and spares of all types(except ) fuel and will be implemented on site as.

- (a) After intimation of defect to firm maximum time of repair/replacement of equipment will be 15 days.
- (b) Penalty for non repair beyond the repair time i.e 15 days will be @ 0.5% per week or part thereof of the cost of the goods/stores/equipment/article in case the store is rendered non-operational due to defect.

27. Commandant, SDRF, Bihta, Patna reserve the right to reject any or all the quotations partially or fully without assigning any reason.

  
(Binod Kumar)  
Commandant  
SDRF, Bihta

Dated :

Name and Singature of tenderer with Stamp

