

राज्य आपदा रिस्पॉस फोर्स, बिहटा, पटना

(आपदा प्रबंधन विभाग), बिहार

अल्पकालिक निविदा आमंत्रण सूचना सं० 22/16

1. विभाग का नाम – राज्य आपदा रिस्पॉस फोर्स, बिहटा, पटना।
2. विज्ञापनदाता का नाम और पता – समादेष्टा, राज्य आपदा रिस्पॉस फोर्स  
(आपदा प्रबंधन विभाग), **Opposite IIT Campus and adjacent to HPCL, Lai Road बिहटा, पटना ।**
3. निविदा प्राप्ति की तिथि एवं समय – 01 जुलाई 2016 (शुक्रवार) 11:00 बजे।
4. निविदा खोलने की तिथि एवं समय – 01 जुलाई 2016 (शुक्रवार) 12:00 बजे।
5. निविदा जमा करने का स्थान – **Emergency Control Room ,**  
आपदा प्रबंधन विभाग,  
पुरानी सचिवालय, पटना, बिहार-800015
6. क्रय किये जाने वाले उपकरणों/सामग्रियों का ब्योरा ।

क्रमांक	वस्तु का नाम एवं गुणस्तर	खरीद की मात्रा (अदद में)
1.	Regular Oxygen LSP # 170-020 with light weight cylinders	60 Nos
2.	Oxygen Cylinder 680 (OXYDOSE) Light Weight with accessories	13 Nos

निविदा के नियमों जानकारी के लिए राज्य आपदा रिस्पॉस फोर्स से कार्यालय अवधि के दौरान सम्पर्क किया जा सकता है इसे आपदा प्रबंधन विभाग, बिहार की वेबसाइट [www.disastermgmt.bih.nic.in](http://www.disastermgmt.bih.nic.in) तथा पी०आर०डी०, बिहार पर भी देखा जा सकता है।

*01/06/16*

समादेष्टा  
एस०डी०आर०एफ०  
बिहटा, पटना

Name and Signature of tenderer with Stamp



राज्य आपदा रिस्पॉस फोर्स, बिहटा, पटना  
(आपदा प्रबंधन विभाग), बिहार

अल्पकालिक निविदा आमंत्रण सूचना सं० 22/16

1. विभाग का नाम – राज्य आपदा रिस्पॉस फोर्स, बिहटा, पटना।
2. विज्ञापनदाता का नाम और पता – समादेष्टा, राज्य आपदा रिस्पॉस फोर्स (आपदा प्रबंधन विभाग), Opposite IIT Campus and adjacent to HPCL, Lai Road बिहटा, पटना।
3. निविदा प्राप्ति की तिथि एवं समय – 01 जुलाई 2016 (शुक्रवार) 11:00 बजे।
4. निविदा खोलने की तिथि एवं समय – 01 जुलाई 2016 (शुक्रवार) 12:00 बजे।
5. निविदा जमा करने का स्थान – Emergency Control Room ,  
आपदा प्रबंधन विभाग,  
पुरानी सचिवालय, पटना, बिहार – 800015
6. कय किये जाने वाले उपकरणों/सामग्रियों का ब्योरा –

क्रमांक	सद का नाम एवं गुणस्तर	खरीद की मात्रा (अदद में)
1.	Regular Oxygen LSP # 170-020 with light weight cylinders	60 Nos
2.	Oxygen Cylinder 680 (OXYDOSE) Light Weight with accessories	13 Nos

Name and Singatur of Tenderer with  
Stamp



## Regular Oxygen LSP # 170-020 with light weight cylinders



### Qualitative Requirements

Qty to be purchased

60 Nos

1. Oxygen cylinder
2. The medical Oxygen cylinder should be made of high quality &
  1. Strength of aluminum alloy with heat sensitive coating.
  2. Capacity: 425 liters
3. It should be duly approved by the Chief controller of Explosive (CCE) at Nagpur.
4. The system should be rust proof.
1. The refilling procedure should be risk free & simplex, with the help of portable refilling station complete with pressure gauge to show filling pressure.
2. All fittings should be leak proof.
3. In built pressure gauge system to be provided with the cylinder.
4. The medical Oxygen cylinder & all other fittings should be hygienic & free from contamination.
5. Finishing should be standard seamless aluminum with clear coat of heat sensitive powder paint.
6. **Regulator**  
Accessories: high pressure regulator, flow meter, connecting tube of 3 meter length, nasal cannula and non rebreather mask-adult and infant sizes, carry pack

## 2. OXYGEN CYLINDER 680 (OXYDOSE)

### Qualitative Requirements

SPECIFICATION OF OXYGEN CYLINDER 680 (OXYDOSE)

Qty to be purchased

13 Nos

क्रय किये जाने वाले items के specification की जानकारी के लिए राज्य आपदा रिस्पॉस फोर्स से कार्यालय अवधि के दौरान सम्पर्क किया जा सकता है इसे आपदा प्रबंधन विभाग, बिहार की वेबसाइट [www.disastermgmt.bih.nic.in](http://www.disastermgmt.bih.nic.in) तथा पी0आर0डी0, बिहार की वेबसाइट पर भी देखा जा सकता है।

Name and Signature of tenderer with Stamp



## TERMS AND CONDITIONS

7. The tender should be submitted in two parts (a) Technical bid and (2) Financial bid, duly sealed in two separate envelopes. If the two bids are submitted in the same envelope, then it shall be summarily rejected.

8. The rates shall be quoted only in the Financial bid. All charges like BST/CST/Service Tax/VAT etc. Shall be clearly mentioned but net rate (in figures and words) including all taxes etc. Shall be clearly mentioned. Vague offers like "Taxes as applicable" will be summarily rejected. There should be no cutting, overwriting or correction in the rates.

9. All relevant papers/certificates/specification etc. of items should be enclosed in the Technical bid. Only authorized dealer or Manufacturer of above equipment will participate in tender formality. Authorised dealers/authorized suppliers of manufacturing firm will have to enclose a copy of the authorization letter from the manufacturer. Sub dealer are also not eligible for participation in tender.

10. The envelopes should be marked "Tender No-22/16 (Technical Bid) and Tender No- 22/16 (Financial Bid) along with the name and address of the firm. The sealed envelopes containing the Technical and Financial bids should be enclosed in another sealed envelope which should be marked as "Tender No-22/16 and name of the items for which tender has been quoted. This envelope should not bear the name and address of the firm.

11. Up to date Income Tax Returns of the preceding 3 years and photocopy of PAN of the participating firm should be submitted along with the technical bid. IT Returns should have stamp and signature of the concerned Firm, whether filed manually or electronically.

12. The turn-over of the firm for the financial year 2015-16 should be at least double the amount of the supply order which is being issued. In case turn over of 2015-16 is not available with the firm turn over of 2014-15 must be enclosed. A copy of the profit and loss a/c of the firm for the financial year 2015-16 or 2014-15 ( as per the availability) certified by a Chartered Accountant should be submitted along with the tender. Turn over of the firm which is participating in the tender formality will only be considered.

Name and Signature of tenderer with Stamp



13. The firm participating in the tender formality will must be register with the commercial Tax Department, Govt of Bihar. Tenderer must enclosed copy of the firm's registration.
14. If there is some discount in the price of any item, it should be deducted from the price itself and should not be quoted separately.
15. It will be responsibility of the successful bidder to deliver the items at SDRF Camp Bihta. The rates should be quoted taking the transportation costs into account. No road permit will be provided by unit for transportation of goods.
16. Firms will have to deposit a sum equivalent to ten percent of the bid amount, rounded off to the next thousand, subject to minimum of Rs. 10,000/- (Ten Thousand) and a maximum of Rs.25,000/- (Twenty Five Thousand) only as earnest money in the form of postal saving pass book/NSC/Bank draft duly pledged in favour of Commandant ,SDRF, Bihta,Patna along with the tender document.
17. Technical bids will be opened on 01 Jul 2016 at 12 AM at State Emergency Control room, Disaster Management Department, Old Secretariat, Patna. The representatives of the tenders may remain present at the time of opening of technical bids.
18. The Technical bids will be put up before the purchase Committee. The date, time and venue of the Purchase Committee meeting for the purpose will be intimated to the tenderer in advance. The representatives of the tenders may remain present in this meeting and may have to participate in discussions with this Committee and are required to demonstrate the quoted product. Any more papers/documents will not be accepted after opening the tender.
19. Only those tenders whose technical bids are found successful, their Financial bids will be opened by the Purchase Committee on specified place, date & time to be intimated to bidders in advance. Before opening the price bid, demonstration of item is essential. Representatives of the tenderers may remain present at the time of opening of the Financial bids. No additional time will be provided for arrangement of sample for demonstration. Sample of the firm declared successful shall be retained by unit.

Name and Singature of tenderer with  
Stamp




20. Successful firm will have to enter into an agreement after depositing a sum of 5% of the total value of the stores as security money in the form of Postal Savings Pass Book/NSC/Bank Guarantee duly pledged in favour of Commandant, SDRF, Bihta, Patna.
21. The firm should give details of item wise after-sale service to be provided by them.
22. The firm will be required to supply all the items within 30 days from the date of placing of order. However, the Commandant, SDRF, Bihta, Patna may extend this period in case of genuine difficulties /reasons put up by the firm.
23. Payment for delivered items will be made after receiving OK report from the inspection Committee. The rules applicable for Vat and income tax deductions would be followed.
24. The firm whose quotation is approved shall be issued memo of Acceptance of the tender (A/T). Purchase order shall be issued only after the firm enters into agreement with the undersigned. Terms & Conditions of the agreement shall be intimated in the A/T.
25. The firm shall have to ensure Hands on Training of the SDRF personnel.
26. Product leaflets or Browser must be enclosed in technical bid which can state that the product is meeting the specification. Relevant portion may be marked or underlined.
27. The equipment quoted in tender for purchase by the unit must have guarantee/warranty for two year from the date of acceptance of store by unit. Guarantee/Warrantee will be comprehensive i.e inclusive of all consumables and spares of all types(except fuel and will be implemented on site as.
- (a) After intimation of defect to firm maximum time of repair/replacement of equipment will be 15 days.
- (b) Penalty for non repair beyond the repair time i.e 15 days will be @ 0.5% per week or part thereof of the cost of the goods/stores/equipment/article in case the store is rendered non-operational due to defect.

Name \_\_\_\_\_ of tenderer with  
Stamp \_\_\_\_\_



28. Commandant,SDRF,Bihta,Patna reserve the right to reject any or all the quotations partially or fully without assigning any reason.

  
(Binod Kumar)  
Commandant  
SDRF,Bihta

Dated :

Name and Singature of tenderer with  
Stamp

