


राज्य आपदा रिस्पॉस फोर्स, बिहटा, पटना

(आपदा प्रबंधन विभाग), बिहार

अल्पकालिक निविदा आमंत्रण सूचना सं० 38/16

1. विभाग का नाम – राज्य आपदा रिस्पॉस फोर्स, बिहटा, पटना।
2. विज्ञापनदाता का नाम और पता – समादेष्टा, राज्य आपदा रिस्पॉस फोर्स  
(आपदा प्रबंधन विभाग), Opposite IIT Campus and adjacent to HPCL, Lai  
Road बिहटा, पटना ।
3. निविदा प्राप्ति की तिथि एवं समय – 16 सितम्बर 2016 (शुक्रवार) 11:00 बजे।
4. निविदा खोलने की तिथि एवं समय – 16 सितम्बर 2016 (शुक्रवार) 12:00 बजे।
5. निविदा जमा करने का स्थान – Emergency Control Room ,  
आपदा प्रबंधन विभाग,  
पुरानी सचिवालय, पटना, बिहार-800015
6. कय किये जाने वाले उपकरणों/सामग्रियों का ब्योरा ।

क्रमांक	मद का नाम एवं गुणस्तर	खरीद की मात्रा (अदद में)
1.	Collar Stiff Neck Short	96 Nos
2.	Collar Stiff Neck Regular	96 Nos
3.	Collar Stiff Neck( No Neck)	96 Nos
4.	Collar Stiff Neck(PEDIATRICALS)	96 Nos
5.	Collar Stiff Neck Tall	96 Nos
6.	Pocket Mask(CPR)	60 Nos
7.	Glasses Eye Protection	600 Nos
8.	Gauze Dressing Vaseline	144 Nos
9.	Dressing abdominal 7-12"	48 Nos
10.	Dressing Multi trauma 12' x3'	180 Nos
11.	Obstetrical Kit disposal	48 Nos
12.	Scissors Paramedical	60 Nos
13.	Stethoscope	60 Nos
14.	Sponge Sterile 4" x 4"	7200 Nos
15.	Tape dermical Cloth 1"	288 Nos
16.	Tape dermical Cloth 2"	432 Nos
17.	Band-aid 1" x 3"(Pkt)	120 Nos
18.	Bandage Kling 6" (5M Roll)	576 Nos
19.	Bandage Kling 3"( 5 M Roll)	576 Nos
20.	Bandage Triangular 40" x 40"	576 Nos
21.	Oxygen Concentrator	01 No
22.	Kit carrying bag Nylon	60 Nos



निविदा के नियमों जानकारी के लिए राज्य आपदा रिस्पॉन्स फोर्स से कार्यालय अवधि के दौरान सम्पर्क किया जा सकता है इसे आपदा प्रबंधन विभाग, बिहार की वेबसाइट [www.disastermgmt.bih.nic.in](http://www.disastermgmt.bih.nic.in) पर भी देखा जा सकता है।

  
समादेष्टा  
एस0डी0आर0एफ0  
बिहटा, पटना

Name and Singature of tenderer with  
Stamp



राज्य आपदा रिस्पॉस फोर्स, बिहटा, पटना

(आपदा प्रबंधन विभाग), बिहार

अल्पकालिक निविदा आमंत्रण सूचना सं० 38/16

1. विभाग का नाम – राज्य आपदा रिस्पॉस फोर्स, बिहटा, पटना।
2. विज्ञापनदाता का नाम और पता – समादेष्टा, राज्य आपदा रिस्पॉस फोर्स (आपदा प्रबंधन विभाग), Opposite IIT Campus and adjacent to HPCL, Lai Road बिहटा, पटना।
3. निविदा प्राप्ति की तिथि एवं समय – 16 सितम्बर 2016 (शुक्रवार) 11:00 बजे।
4. निविदा खोलने की तिथि एवं समय – 16 सितम्बर 2016 (शुक्रवार) 12:00 बजे।
5. निविदा जमा करने का स्थान – Emergency Control Room , आपदा प्रबंधन विभाग, पुरानी सचिवालय, पटना, बिहार – 800015
6. कय किये जाने वाले उपकरणों/सामग्रियों का ब्योरा –

क्रमांक	मद का नाम एवं गुणस्तर	खरीद की मात्रा (अदद में)
1.	Collar Stiff Neck Short	96 Nos
2.	Collar Stiff Neck Regular	96 Nos
3.	Collar Stiff Neck( No Neck)	96 Nos
4.	Collar Stiff Neck(PEDIATRICS)	96 Nos
5.	Collar Stiff Neck Tall	96 Nos
6.	Pocket Mask(CPR)	60 Nos
7.	Glasses Eye Protection	600 Nos
8.	Gauze Dressing Vaseline	144 Nos
9.	Dressing abdominal 7-12"	48 Nos
10.	Dressing Multi trauma 12' x3'	180 Nos
11.	Obstetrical Kit disposal	48 Nos
12.	Scissors Paramedical	60 Nos
13.	Stethoscope	60 Nos
14.	Sponge Sterile 4" x 4"	7200 Nos
15.	Tape dermical Cloth 1"	288 Nos
16.	Tape dermical Cloth 2"	432 Nos
17.	Band-aid 1" x 3"(Pkt)	120 Nos
18.	Bandage Kling 6" (5M Roll)	576 Nos
19.	Bandage Kling 3"( 5 M Roll)	576 Nos
20.	Bandage Triangular 40" x 40"	576 Nos
21.	Oxygen Concentrator	01 No
22.	Kit carrying bag Nylon	60 Nos



Name and Singature of tenderer with Stamp

**COLLAR STIFF NECK SHORT**


Qualitative Requirements	Qty to be purchased
<ol style="list-style-type: none"> <li>1. Rigid cervical collar-extrication type</li> <li>2. Material: soft plastic rigid enough to avoid 70% of neck movement and lined inside with soft cushion.</li> <li>3. Padded chain rest for application by sweep technique.</li> <li>4. Colour coded and measure holes for easy identification and measurement of correct size.</li> <li>5. Velcro for easy fixation.</li> <li>6. MRI/CT Scan compatible; radio lucent</li> <li>7. Tracheal access opening for advanced airway procedure;</li> <li>8. Rear panel opening for cervical spine palpation</li> <li>9. Latex free and durable</li> <li>10. This size of finished c-collar should not be less than 4.5 cm when measurement as per prescribed procedure.</li> </ol>	<p>96 Nos</p>

**COLLAR STIFF NECK REGULAR**

Qualitative Requirement	Qty to be purchased
<ol style="list-style-type: none"> <li>1. Rigid cervical collar-extrication type</li> <li>2. Material: soft plastic rigid enough to avoid 70% of neck movement and lined inside with soft cushion.</li> <li>3. Padded chain rest for application by sweep technique.</li> <li>4. Colour coded and measure holes for easy identification and measurement of correct size.</li> <li>5. Velcro for easy fixation.</li> <li>6. MRI/CT Scan compatible; radio lucent</li> <li>7. Tracheal access opening for advanced airway procedure;</li> <li>8. Rear panel opening for cervical spine palpation</li> <li>9. Latex free and durable</li> <li>10. This size of finished c-collar should not be less than 6 cm when measurement as per prescribed procedure.</li> </ol>	<p>96 Nos</p>

**COLLAR STIFF NECK (NO NECK)**

Qualitative Requirement	Qty to be purchased
<ol style="list-style-type: none"> <li>1. Rigid cervical collar- extrication type</li> <li>2. Material: soft plastic rigid enough to avoid 70% of neck movement and lined inside with soft cushion.</li> <li>3. Padded chain rest for application by sweep technique.</li> <li>4. Colour coded and measure holes for easy identification and measurement of correct size.</li> <li>5. Velcro for easy fixation.</li> <li>6. MRI/CT Scan compatible; radio lucent</li> <li>7. Tracheal access opening for advanced airway procedure;</li> <li>8. Rear panel opening for cervical spine palpation</li> <li>9. Latex free and durable</li> <li>10. This size of finished c-collar should not be less than 3 cm when measurement as per prescribed procedure.</li> </ol>	<p>96 Nos</p>



## COLLAR STIFF NECK (PEDIATRICS)

Qualitative Requirement	Qty to be purchased
<ol style="list-style-type: none"><li>1. Rigid cervical collar – extrication type</li><li>2. Material : soft plastic rigid enough to avoid 70% of neck movement and lined inside with soft cushion.</li><li>3. Padded chain rest for application by sweep technique.</li><li>4. Colour coded and measure holes for easy identification and measurement of correct size.</li><li>5. Velero for easy fixation.</li><li>6. MRI/CT Scan compatible ; radiolucent</li><li>7. Tracheal access opening for advanced airway procedure;</li><li>8. Rear panel opening for cervical spine palpation.</li><li>9. Latex free and durable.</li></ol>	96 Nos

## COLLAR STIFF NECK TALL

Qualitative Requirement	Qty to be purchased
<ol style="list-style-type: none"><li>1. Rigid Cervical collar – extrication type</li><li>2. Material: soft plastic rigid enough to avoid 70% of neck movement and lined inside with soft cushion.</li><li>3. Padded chain rest for application by sweep technique.</li><li>4. Colour coded and measure holes for easy identification and measurement of correct size.</li><li>5. Velero for easy fixation.</li><li>6. MRI/CT Scan compatible ; radiolucent.</li><li>7. Tracheal access opening for advanced airway procedure;</li><li>8. Rear panel opening for cervical spine palpation.</li><li>9. Latex free and durable.</li><li>10. This size of finished c-collar should not be less than 10 cm when measurement as per prescribed procedure.</li></ol>	96 Nos

## SPECIFICATION OF POCKET MASK ( CPR )

Qualitative Requirement	Qty to be purchased
<ol style="list-style-type: none"><li>a) Face mask with one way valve and filter</li><li>b) Used as physical barrier for mouth to mouth ventilation</li><li>c) Ventilation tube length 1-1.25"</li><li>d) Pre inflated cuff for effective and good seal with transparent mask</li><li>e) Oxygen delivery inlet</li></ol>	60 Nos

Name and Singature of tenderer with Stamp

## SPECIFICATION OF GLASSES EYE PROTECTION

Qualitative Requirement	Qty to be purchased
a) UVEX- scratch resistant lens of unbreakable a. Polycarbonate with b) Maximum UV protection and frosted brow guard to block Overhead glare c) Side shields, which are adjustable. d) Adjustable temple length in four positions e) Overall shape should be so as to prevent any splash Of Bodily fluid entering the eye	600 Nos

## SPECIFICATION OF GAUZE DRESSING VASELINE

Qualitative Requirement	Qty to be purchased
a) Non adherent dressing U.S.P. impregnated with b) U.S.P. white Petrolatum c) Size: 10 x 10 cm Package: sterilized 10 pieces/pack	144 Nos

## SPECIFICATION OF DRESSING ABDOMINAL – 7-12"

Qualitative Requirement	Qty to be purchased
(a) Hard case for carrying mask and one microbial wipe. (b) Size 7 ½" x 7 ½" (c) Strength : 12 ply with good absorbent quality gauze and cotton (d) Layer in between Package: pre sterilized ready to use individual packs	48 Nos

## SPECIFICATION OF DRESSING MULTI TRAUMA 12' X 3'

Qualitative Requirement	Qty to be purchased
a) Size: 12" x 3" b) Layers: of 16 ply of good absorbent quality gauze c) With cotton in between d) Thickness: at least of 5 cm Package: presterilized packs of 3 pieces/pack; ready to use	180 Nos

Name and Signature of tenderer with Stamp

**SPECIFICATION OF OBSTETRICAL KIT DISPOSABLE**

Qualitative Requirement			Qty to be purchased
Sterilized disposable kit with the following.			48 Nos
1	Plastic apron	- 1 nos	
2	Cap disposable	- 1 nos	
3	Face mask	- 1 nos	
4	Latex gloves	- 1 pair	
5	Shoe cover	- 1 pairs	
6	Plastic drapes	- 2 nos	
7	Sterile umbilical cord clamps	- 1 nos	
8	Baby towel	- 1 nos	
9	Blade SS	- 1 nos	
10	Maternity pads	- 2 pads	
11	Sterile gauze pad 10 x10 cm; 12 ply	- 4 Nos (Towlettes)	
12	Disposable sterile suction bulb(infant)	- 1 nos	
13	Sterile under pad	- 1 nos	
14	Plastic bag to hold placenta and waste	- 2 nos	
15	Twist ties for use with plastic bag	- 2 nos	

**SPECIFICATION OF SCISSORS PARAMEDICAL**

Qualitative Requirement		Qty to be purchased
a)	Length 6" to 9", width 3 mm	60 Nos
b)	Stainless steel body	
Plastic unsheathed finger slots		

**SPECIFICATION OF STETHOSCOPE**

Qualitative Requirement	Qty to be purchased
a) Quality tubing of standard length b) Ear pieces: soft pliable with one pair spare c) Diaphragm: with good acoustic resonance Single unit as ear pieces adjunct with conduction tube	60 Nos



Signature of tenderer with Stamp

## SPECIFICATION OF SPONGE STERILE

Qualitative Requirement	Qty to be purchased
a) Dimensions: 10 x 10 cm b) Material: 12 ply, good absorbent quality c) Package: packet of 4 swabs sterilized and ready to use packs d) Thickness : 1 to 1.5" Operating temperature of 0°C to 50°C and water resistance as per	7200 Nos

## SPECIFICATION OF TAPE DERMICAL CLOTH – 1”

Qualitative Requirement	Qty to be purchased
a) Dimensions: 2.5 cm x 9 meter b) Hypoallergenic surgical micro pore adhesive tape	288 Nos

## SPECIFICATION OF TAPE DERMICAL CLOTH 2”

a) Dimensions: 5 cm x 9 meter b) Hypoallergenic surgical micro pore adhesive tape	432 Nos
--	---------

## SPECIFICATION BAND AID

Qualitative Requirement	Qty to be purchased
a) Dimensions: 2 cm x 7 cm rectangular with central b) medicated pad c) Containing Benzalkonium chloride BP 0.5 % W.W d) Wash proof and hypoallergenic adhesive bandage e) Sterilized single packs	120 Nos

## SPECIFICATION OF BANDAGE KLING 6” ( 5 MM ROLL )

<ul style="list-style-type: none"><li>▪ Dimensions: 15 cm x 5 meter length</li><li>▪ Gauze bandage of superior quality, cross net weaving fabricated</li><li>▪ From cotton fibers</li><li>▪ Sterilized packs</li></ul>	576 Nos
--	---------

## SPECIFICATION BANDAGE KLING 3” ( 5 M ROLL )

<ul style="list-style-type: none"><li>▪ Dimensions: 7 cm x 5 meter length</li><li>▪ Gauze bandage of superior quality, cross net weaving fabricated from cotton fibers.</li><li>▪ Sterilized packs</li></ul>	576 Nos
--	---------

## SPECIFICATION BANDAGE TRIANGULAR 40” x40”

<ul style="list-style-type: none"><li>▪ Dimensions: 90 x 90 x 120 cm size bandage</li><li>▪ Material: good quality calico material</li></ul>	576 Nos
--	---------



Name and Signature of tenderer with Stamp

## **SPECIFICATION OXYGEN CONCENTRATOR**

<b>Qualitative Requirement</b>	<b>Qty to be purchased</b>
<p>Dimension : 28" h x 16" w x 14" d</p> <p>Weight : 52 lbs</p> <p>Delivery Rate : ½ -5 liters (1/2 Liter increments)</p> <p>Oxygen % : 93% @ 1-5 liters (+/-3%)</p> <p>Electric Requirement : 115 V , 60 Hz</p> <p>Power Consumption : 400 watts average.</p> <ul style="list-style-type: none"><li>• Pressure- relief valve and thermal protection on the compressor.</li><li>• Filtration for longer bed life and better oxygen purity.</li><li>• Increased flow rates, decreased operating temperatures and longer life with less cup seal wear.</li><li>• Double-insulated unit : two prong plug</li><li>• Humidifier port helps prevent humidifier bottle and connection breakage.</li><li>• The opening is wide to make it easy to connect tubing or humidifiers</li><li>• High/Low pressure alarms and power failure alarm.</li><li>• Long cannula while maintaining an accurate flow setting (maximum 50 feet)</li><li>• Audible and Visual sensing device for low pressure, power fail and power on.</li></ul>	01 Nos

## **SPECIFICATION OF KIT CARRYING BAG NYLON**

<b>Qualitative Requirement</b>	<b>Qty to be purchased</b>
<ul style="list-style-type: none"><li>▪ Material: synthetic heavy corduroy water proof</li><li>▪ Dimensions: 20" x 15" x 15"</li><li>▪ Side pouches with individual plastic zippers; additional compartment on top</li><li>▪ Inside upper cover divided with multiple straps for holding instruments, bottles, medicine kits upright</li><li>▪ Lower compartment divided into three' one of 14 " and other 6 " subdivided into two;</li><li>▪ Two side carry handles as well adjustable shoulder straps; Base of bag having rubber castors/rests to avoid direct contact with ground</li></ul>	60 Nos

क्रय किये जाने वाले items के specification की जानकारी के लिए राज्य आपदा रिरपौंस फोर्स से कार्यालय अवधि के दौरान सम्पर्क किया जा सकता है इसे आपदा प्रबंधन विभाग, बिहार की वेबसाइट [www.disastermgmt.bih.nic.in](http://www.disastermgmt.bih.nic.in) तथा पी0आर0डी0, बिहार की वेबसाइट पर भी देखा जा सकता है।

## **TERMS AND CONDITIONS**

7. The tender should be submitted in two parts (a) Technical bid and (2) Financial bid, duly sealed in two separate envelopes. If the two bids are submitted in the same envelope, then it shall be summarily rejected.

Name and Singature of tenderer with Stamp

8. The rates shall be quoted only in the Financial bid. All charges like BST/CST/Service Tax/VAT etc. Shall be clearly mentioned but net rate (in figures and words) including all taxes etc. Shall be clearly mentioned. Vague offers like "Taxes as applicable" will be summarily rejected. There should be no cutting, overwriting or correction in the rates.

9. The envelopes should be marked "Tender No-38/16 (Technical Bid) and Tender No- 38/16 (Financial Bid) along with the name and address of the firm. The sealed envelopes containing the Technical and Financial bids should be enclosed in another sealed envelope which should be marked as "Tender No-38/16 and name of the items for which tender has been quoted. This envelope should not bear the name and address of the firm.

10. Up to date Income Tax Returns of the preceding 3 years and photocopy of PAN of the participating firm should be submitted along with the technical bid. IT Returns should have stamp and signature of the concerned Firm, whether filed manually or electronically.

11. The turn-over of the firm for the financial year 2015-16 should be at least double the amount of the supply order which is being issued. In case turn over of 2015-16 is not available with the firm turn over of 2014-15 must be enclosed. A copy of the profit and loss a/c of the firm for the financial year 2015-16 or 2014-15 ( as per the availability) certified by a Chartered Accountant should be submitted along with the tender. Turn over of the firm which is participating in the tender formality will only be considered.

12. The firm participating in the tender formality will must be registered with the commercial Tax Department, Govt of Bihar. Tenderer must enclosed copy of the firm's registration.

13. If there is some discount in the price of any item, it should be deducted from the price itself and should not be quoted separately.

14. It will be responsibility of the successful bidder to deliver the items at SDRF Camp Bihta. The rates should be quoted taking the transportation costs into account. No road permit will be provided by unit for transportation of goods.



Name and Signature of tenderer with Stamp

15. Firms will have to deposit a sum equivalent to ten percent of the bid amount, rounded off to the next thousand, subject to minimum of Rs. 10,000/-(Ten Thousand) and a maximum of Rs.25,000/-(Twenty Five Thousand) only as earnest money in the form of postal saving pass book/NSC/Bank draft duly pledged in favour of Commandant ,SDRF, Bihta,Patna along with the tender document.

16. Technical bids will be opened on 16 Sep 2016 at 12 AM at State Emergency Control room, Disaster Management Department, Old Secretariat, Patna. The representatives of the tenders may remain present at the time of opening of technical bids.

17. The Technical bids will be put up before the purchase Committee. The date, time and venue of the Purchase Committee meeting for the purpose will be intimated to the tenderer in advance. The representatives of the tenders may remain present in this meeting and may have to participate in discussions with this Committee and are required to demonstrate the quoted product. Any more papers/documents will not be accepted after opening the tender.

18. Only those tenders whose technical bids are found successful, their Financial bids will be opened by the Purchase Committee on specified place, date & time to be intimated to bidders in advance. Before opening the price bid, demonstration of item is essential. Representatives of the tenderers may remain present at the time of opening of the Financial bids. No additional time will be provided for arrangement of sample for demonstration. Sample of the firm declared successful shall be retained by unit.

19. Successful firm will have to enter into an agreement after depositing a sum of 5% of the total value of the stores as security money in the form of Postal Savings Pass Book/NSC/Bank Guarantee duly pledged in favour of Commandant, SDRF, Bihta, Patna.

20. The firm should give details of item wise after-sale service to be provided by them.

21. The firm will be required to supply all the items within 30 days from the date of placing of order. However, the Commandant, SDRF, Bihta, Patna may extend this period in case of genuine difficulties /reasons put up by the firm.

22. Payment for delivered items will be made after receiving OK report from the inspection Committee. The rules applicable for Vat and income tax deductions would be followed.



Signature of tenderer with Stamp

23. The firm whose quotation is approved shall be issued memo of Acceptance of the tender (A/T). Purchase order shall be issued only after the firm enters into agreement with the undersigned. Terms & Conditions of the agreement shall be intimated in the A/T.

24. The firm shall have to ensure Hands on Training of the SDRF personnel.

25. Product leaflets or Browser must be enclosed in technical bid which can state that the product is meeting the specification. Relevant portion may be marked or underlined.


26. The equipment quoted in tender for purchase by the unit must have guarantee/warranty for two year from the date of acceptance of store by unit. Guarantee/Warrantee will be comprehensive i.e inclusive of all consumables and spares of all types(except fuel) and will be implemented on site as.

(a) After intimation of defect to firm maximum time of repair/replacement of equipment will be 15 days.

(b) Penalty for non repair beyond the repair time i.e 15 days will be @ 0.5% per week or part thereof of the cost of the goods/stores/equipment/article in case the store is rendered non-operational due to defect.

27. Commandant,SDRF,Bihta,Patna reserve the right to reject any or all the quotations partially or fully without assigning any reason.



  
(Binod Kumar)  
Commandant  
SDRF,Bihta