

STATE DISASTER RESPONSE FORCE BIHTA, PATNA

(DISASTER MANAGEMENT DEPARTMENT)

Corrigendum Notice No – 01

Consisting of one page only

With reference to discussion/clarification on points/suggestions relating to commercial/Technical terms & conditions, following changes/amendments be incorporated in the relevant terms and conditions given in our Retender No – 02/14 dated 26 May 2014 for procurement of 12 Nos (Set) Personnel Diving Kit (Diving Suit, Breathing Apparatus, Weight Belt, Gloves, Dive Fins) and two Nos High Pressure Breathing Air Compressors for SDRF.

Sr. No	QUALITATIVE REQUIREMENT AS PER TENDER	SHOULD READ AS
(a)	<u>BA SET LIGHT WEIGHT WITH SPARE CYLINDER (UNDER WATER)</u> Charging Pressure of Cylinder <u>250-300 bars.</u>	<u>BA SET LIGHT WEIGHT (UNDER WATER)</u> Charging Pressure of Cylinder <u>200-300bars</u> & Scope of supply should also include a <u>Buoyancy Compensating Device.</u>
(b)	<u>DIVING SUIT</u>	<u>DIVING SUIT</u> Scope of supply should also include a pair of <u>BOOT DIVER NEOPRENE</u> made from double lined neoprene with non-slip sole.

NOTE :- (a) Remaining terms and conditions of the Tender will remain unchanged.

(b) Above tender which was scheduled to open on 27 Jun 2014 at 1200 AM now will open on 15 July 2014 on the same venue and time.

File No – 02/est -91/2013/SDRF/380 /D.M.

Gopal Prasad
19/6/14
(Gopal Prasad)
Commandant ,SDRF
BIHTA,PATNA

