

**WATER RESOURCES DEPARTMENT**  
**Government Of Bihar**

1. I.D. 3358  
 2. DESIGNATION ASSISTANT ENGINEER  
 3. GRADATION NO. 700  
 4. GRADATION YEAR 2008  
 5. CATEGORY GENERAL  
 6. NAME SANT KUMAR SINGH  
 7. FATHER'S NAME SRI SADHU SINGH  
 8. STATUS PERMANENT  
 9. SEX MALE  
 10. CADRE BIHAR  
 11. PERMANENT ADDRESS VILL.BHERIYAN, POST.KHAIRAHAN,  
 VIA-DEHRI-ON- SONE, DIST.ROHTAS  
 12. CORRESPONDENCE ADDRESS  
 13. TELEPHONE NUMBER 09431622346  
 14. E-MAIL ADDRESS  
 15. HOME DISTRICT ROHTAS  
 16. DATE OF BIRTH 31-12-1956  
 17. DATE OF RETIREMENT 31-12-2016  
 18. DATE OF JOINING 22-06-1987  
 19. NOMINEE DETAILS

SL. NO.	NOMINEE'S NAME	RELATIONS WITH EMPLOYEE	NOMINEE'S ADDRESS	REMARKS
1	MRS.SHANTI SINGH	WIFE	C/O PARAS NATH SINGH, KAUTILYA NAGAR, EAST OF A.G.COLONY, PATNA-23.	-

## 20. EDUCATIONAL QUALIFICATIONS

SL. NO.	DEGREE/DIPLOMA	BRANCH	PASSING YEAR	INSTITUTE/UNIVERSITY
1	B.S.C.	CIVIL	1982	B.C.E.PATNA

## 21. POSTING DETAILS

SL. NO.	DESIGNATION	OFFICE NAME	PLACE	FROM	TO	REMARKS
1	A.E.	QUALITY CONTROL DIVN.	DALTANGANJ	07-08-1987	14-03-1992	-
2	A.E.	N.K.BARRAGE DIVN.	MOHAMADGANJ	15-03-1992	05-07-1996	-
3	A.E.	DESIGN DIVN. NO.1	DARBHANGA	10-07-1996	30-05-1998	-
4	A.E.	W.K.CANAL DIV. KUNALI ,C	JAINAGAR	01-06-1998	02-05-2002	-

Information above is based on biodata submitted to Computer Cell by the engineer concerned.

5	A.E.	W.K.CANAL DIV.	KHUTAUNA	01-04-2002	10-03-2003	-
6	A.E.	IRR.DIV-2	JHAJHA	12-03-2003	06-08-2004	-
7	A.E.	TIRHUT CANAL DIV.	SARAIYA	09-08-2004	22-12-2008	-
8	A.E.	DISTRICT URBAN DEV AUTHORITY	NALANDA	23-12-2008	00-00-0000	-

**22. TRAINING DETAILS**

NOT AVAILABLE

**23. DEPARTMENTAL AND PROFESSIONAL****EXAMINATIONS**

SL. NO.	EXAMINATION	YEAR OF PASSING	NOTIFICATION NO. AND DATE	REMARKS
1	CANAL LAW-A	1988	4/24-27/88-57 DT.25.05.1988	-
2	CANAL LAW-B	1988	4/24-27/88-57 DT.25.05.1988	-
3	CANAL LAW-C	1988	4/24-27/88-57 DT.25.05.1988	-
4	HINDI	1988	4/24-27/88-57 DT.25.05.1988	-
5	PROFESSIONAL	1989	665 DT.18.02.1989	-
6	HINDI NOTING AND DRAFTING	0	-	-

**24. PROMOTION DETAILS**

NOT AVAILABLE

**25. VIGILANCE CHARGES [UNDER UPDATION]**

NOT AVAILABLE

Information above is based on biodata submitted to Computer Cell by the engineer concerned.