OFFICE OF EXECUTIVE ENGINEER

IRRIGATION MECHANICAL DIVISION, DEHRI

Email ID- eeimddehri2018@gmail.com

LETTER NO- 1014 **DEHRI, DATE:-** 01/10/26

Short notice Quotation no - 09/2026-27

Quotation is being invited for purchase of the following miscellaneous items. Under the Jal-Jeevan-Hariyali Scheme, while utilizing the available surface water of the Sone River, for providing drinking water in the towns of Aurangabad, Dehri and Sasaram, under (Agreement No. 01SBD/2024-25) Electro-Mechanical and Hydro-Mechanical (Mech.) related works, from the contingency work, for the offices of the Chief Engineer (Mechanical), Water Resources Department Patna, Bihar, Superintending Engineer (Mechanical), Irrigation Mechanical Circle, Gaya Camp-Dehri, and Executive Engineer (Mechanical), Irrigation Mechanical Division, Dehri –

1. Designation and Address of the Inviting Authority: Executive Engineer (Mechanical), Irrigation Mechanical Division, Dehri.

2. Date of Quotation Invitation: 01.10.2026

3. Last Date and Place for Submission of Quotation: 15.10.2026, Time- up to 05:00 PM at Office of the Executive Engineer (Mechanical), Irrigation Mechanical Division, Dehri.

4. Date and Time of Opening of Quotation: 16.10.2026 at the Office of the Executive Engineer (Mechanical), Irrigation Mechanical Division, Dehri.

GROUP-01

SL. NO.	NAME OF ITEMS	SPECIFICATION	QTY.	RATE (IN WORD)	RE-MARKS
01	All In One Desk-top computer re-puted make. (in-cluding U.P.S.wireless mouse, keyboard)	27" FHD IPS AG,IPS, 99% SRGB Display/core i7 2.7 GHz/CPU SPEED 5GHz/13th Gen. or Higher /16 or 24 GB DDR5 Ram, maximum size of ram up to 32 GB/01 TB SSD/5MP POP UP IR Cam/INTEL IRIS XE Graphics/WiFi 6E /Win 11+MSO'24+O365,05 USB port with minimum 03 years of extended War-ranty.	07 Nos.		
02	Xerox Machine COLOURED Monochrome (Large size),Re-puted make.	A3 Colour Laser Multifunction Digital Photocop-ier/MFP with Print, Copy and Scan functions; Paper Size: A3, A4, A4R, Print Speed: Minimum 26 PPM (A4) and 15 PPM (A3); Print Resolution: Up to 1200 × 1200 dpi; Full Colour Network Scanning up to 600 × 600 dpi; Single Pass Duplex Automatic Document Feeder (DADF) with minimum 200-sheet capacity; Automatic Duplex Printing, Copying and Scanning; Minimum 10.1-inch Colour Touchscreen Display; Minimum 3 GB RAM and 256 GB SSD; Paper Input Capacity: Minimum 1,200 sheets, ex-pandable up to approximately 2,300 sheets; Paper Weight: Support up to approximately 300 GSM; USB and Gigabit Ethernet (10/100/1000 Mbps); Wireless LAN: IEEE 802.11 b/g/n or higher; Net-work Printing/Scanning through LAN/Wi-Fi	01 Nos.		

		accessible by multiple computers/laptops; Mobile Printing through Direct USB Printing facility, USB, E-mail and Network Folder; Separate Black, Cyan, Magenta and Yellow toner cartridges; Support for Windows 10/11 and macOS; Machine Dimensions: Approximately 565 (W) × 722 (D) × 897 (H) mm; Machine Weight: Approximately 86 kg; Power Supply: 220–240 V AC, 50/60 Hz; paper cassettes, multi-purpose tray, complete set of toner cartridges, required software/drivers, cables and Wireless LAN module; Warranty: Minimum 02 (Three) years comprehensive on-site warranty from the date of installation and commissioning.			
03	Xerox Machine Monochrome (Large size)	A3 Monochrome Laser Multifunction Digital Photocopier/MFP with Print, Copy, Scan, Send and Store functions; Paper Size: A3, A4, A4R; Print Speed: Minimum 45 PPM (A4) and 22 PPM (A3); Print Resolution: Up to 1200 × 1200 dpi; Full Colour Network Scanning with resolution up to 600 × 600 dpi; Single Pass Duplex Automatic Document Feeder (DADF) with minimum 200-sheet capacity and automatic two-sided scanning; Automatic Duplex Printing and Copying; Minimum 10,1-inch Colour Touchscreen Display; Minimum 3 GB RAM and 256 GB SSD; Paper Input Capacity: Minimum 1,200 sheets, expandable up to approximately 2,300 sheets; Support for paper weight up to approximately 300 GSM through multi-purpose tray; USB Host/Device and Gigabit Ethernet (10/100/1000 Mbps); Wireless LAN: IEEE 802.11 b/g/n or higher with Wireless LAN module supplied and installed; Network Printing and Scanning through LAN/Wi-Fi accessible by multiple computers/laptops connected to the network; Mobile Printing through AirPrint; Direct USB Printing facility;; Support for Windows 10/11 and macOS; Separate high-yield genuine OEM Black toner; Machine Dimensions: Approximately 565 (W) × 722 (D) × 897 (H) mm with Single Pass DADF; Machine Weight: Approximately 75 kg with DADF configuration; Power Supply: 220–240 V AC, 50/60 Hz; Complete with Single Pass DADF, paper cassettes, multi-purpose tray, toner cartridge, required drivers/software, cables and Wireless LAN module;Warranty: Minimum 02 (Three) years comprehensive on-site warranty from the date of installation and commissioning	01 Nos.		
04	A4 Colour Laser Printe reputed make.	Colour Laser Printe with copy, scan facilities, A4 size, minimum print speed 18 ppm, minimum resolution 600 × 600 dpi, automatic duplex printing, USB/ LAN /Ethernet/Wi-Fi connectivity, suitable for office/network printing, with separate Black, Cyan, Magenta and Yellow toner cartridges, compatible with Windows 10/11, minimum 1 year extended warranty.	03 Nos.		
05	A4 Monochrome Laser Printer reputed make.	A4 Monochrome Laser Printer with copy, scan facilities, minimum 30 PPM print speed, minimum 600 × 600 DPI resolution, automatic duplex printing, minimum 250-sheet paper input capacity, USB and Ethernet/LAN/ USB/ Wi-Fi printing	01 Nos.		

		connectivity, Black high-yield toner cartridge, compatible with Windows 10/11, complete with all standard accessories and minimum 1year extended warranty .			
06	55'' LED Smart google TV, Reputed make.	Smart tv features: google tv, resolution: 4k ultra hd (3840 x 2160) | refresh rate: 60 hertz connectivity: 4 hdmi ports to connect set top box, blu ray players, 2 usb ports to connect hard drives and other usb devices sound : 20 watts output , 2ch,| open baffle speaker| dts digital surround , dts:x,| dolby atmos, dolby audio smart tv features: google tv , watchlist , google assistant, google cast, allm/earc (hdmi 2.1 compatible) , additional features: apple airplay 2 ,annual energy consumption: 186.76 kwh display : 4k led, 4k processor x1 , live color,| 4k x-reality pro, motionflow xr 100 , hdr10/hlg, suitable for conference meeting hall.	01 Nos.		
07	Conference camera reputed make.	A4 Conference Cam USB2.0 HD 1080p, 3 Megapixel + 2Yrs. Warranty, Photo Sensor- CMOS Technology, 1080 P, Resolution Maximum- 0.1 M, Focal Length- Maximum – Aperture 2f, Flash Memory - Type SDHC, Smart Media, Video Capture- Format MP4, Supported Audio Format- AAC, MP3, Screen Size- 65 Inches, Connectivity - USB AND connectivity with conference mic and speaker .	01 Nos.		
08	Conference MIC, Speaker and related accessories. Reputed make.	Conference Call Speaker With Omnidirectional Mic, Echo & Noise, Bluetooth, 02years extended warranty.	01 Nos.		
09	Wall fan, 90w, copper coiled. Reputed make.	Sweep 400mm Wall Mount Fan, RPM: 1350, 80 Watt, 230 Volt, Double string for Speed & Oscillation control, Thermal Overloaded Protected Motor, 100% Copper Wire Winding Motor, 2 Year Warranty, Air delivery 65 m^3/min, 24.4D x 50.2W x 49.6H Centimeters, Material Type- Acrylonitrile Butadiene Styrene, Number Of Speeds-03, Number Of Blade-03,ISI Marked.	05 Nos.		
10	Water purifier R.O. machine, Reputed make.	RO Water Purifier ,RO+UF+TDS Control + UV LED Tank, 7.5L, 20LPH Flow, Ideal for Borewell/Tanker/Municipal Water, UV LED Tank, Dimension-34L x 22W x 46H Centimeters with free services and 02 yrs warranty with BIS certified.	02 Nos.		
11	Water Cooler Machine, Reputed make.	40 Liter Plain and Cold Stainless Steel Water Cooler FSS4080NCW, With 40 liters/hour cooling capacity and 80-liter storage tank, Dimension- 58.2D x 46W x 146H Centimeters, this cooler ensures an uninterrupted supply of safe drinking water for large groups, Normal + Cold Water Dispensing: Dual faucet system with separate taps for normal and chilled water, designed for all-season use and quick access during peak hours, Crafted from 100% stainless steel body and food-grade tank, ensuring long-lasting durability, hygiene, and resistance to rust or corrosion, Powered by a high-efficiency hermetically sealed reciprocating compressor and eco-friendly R134a refrigerant with minimum 01 year warranty and free service.	01 Nos.		

GROUP-02

01	Revolving Executive Chair (high back) for Office.	Executive Chair - seat is made up of 1.5 ±0.1cm. thick hot-pressedplywood and upholstered with fabric upholstery covers and moulded Polyurethane foam.The Back is injection moulded in glass filled Polypropylene which is upholstered with Mesh fabric and lumber support. The back consist of adjustable lumbar support made of injection moulded Polypropylene having an adjustment of 5.0 ±0.1 cm.The chair seat & back size are seat size 53.5 cm. (w) x 51.0 cm. (d) mesh back size 51.0 cm. (w) x 70.0 cm. (h)high resilience (hr) polyurethane foam hardness 16±2 kgf as per IS:7888 for 25% compression, The adjustable armrest is designed with the following features , Up-Down adjustment– 6 steps (7.2 ± 0.5cm range), Armrest Top is PU moulded over glass filled Nylon insert.center tilt synchro mechanism with multi lock : The mechanism isdesigned with the following features:· 360° revolving type.· 3 position locking with antishock mechanism.· Tilt tension adjustment pneumatic height adjustment: The pneumatic height adjustment with an adjustment stroke of 9.5±0.3cm.chrome pedestal assembly : The Chrome pedestal is injection moulded in glass-filled with 5 nos. twin wheel castors. The pedestal is 66.1 ±0.5cm. pitch-center dia.(76.1 ±1.0cm with castors).twin wheel castors :width (w): 76.1 cm.depth (d): 76.1 cm.height (h): 101.5 - 111.0 cm.seat height (sh): 44.5 - 54.0 cm.	03 Nos.		
02	Office Table (Large) with complete set.	The Main table shall be of size 2400 Width mm x 900 mm Depth x 750 mm height. Top surface of the table shall made up of MDF (Medium density fibre) board duly finished with Veneer and final coating of PU. The Main desk should contain in built key board pull out tray for keeping keyboard of computer. The front modesty panel of the table shall be made up of MDF board of size 1640 mm x 600 mm x 16mm which shall also be duly finished with Veener and PU coating. For personal storage one mobile pedestal (3 drawer unit) shall be provided of size 510 mm Width x 635 mm Height and 445 mm Depth. The storage pedestal shall also be made up of MDF duly finished with veener & final coating of PU. The Side shall be of size 1200mm Width x 445mm Depth x 660 mm Height. The side unit shall be made up of MDF board duly finshed with Veneer and final finish by PU Coating. The design of the side unit shall be such that it can be placed on either side of the main table. The side unit shall contain open space for keeping cpu in extreme right side, one closed storage shutter at extreme left end & open space in the middle with one shelf for keeping files.	04 Nos.		

03	Office Table (Small).	OFFICE TABLE Office Table made of MS ERW round tube dia 25.4 x 1.2mm thick with 18 mm thick Pre Laminated top size 1365 X 680 X 735 MM (Approx.) with both side drawer unit one side three drawers & another side two drawers made of .5mm thick CRCA sheet mild steel, All steel components have powder coated paint fitted with both side drawer lock suitable handles and proper foot-rest with minimum 01 year of guarantee.	17 Nos.		
04	Office Almirah (Large).	Office table with Overall size Shall be 916mm(W)x486mm(D)x1981mm(H) Approx with minimum 05 shelves & welded construction. It should have the shelf thickness of 0.7 mm, Back thickness of 0.8mm, Door thickness of 0.8mm (high yield strength) and all other components shall have a thickness of 0.9mm. These components shall be made of CRCA 'D' grade high yield strength as per IS:513. It should have a Mazak handle and Three way locking mechanism with Shooting Bolts. It should have a height wise adjustable shelf mounting which shall have a Uniformly Distributed Load Capacity of max 40 Kg, Without locker, It should also have a M10 Screw type Leveller with Hex plastic base. The finishing shall include Epoxy powder coated to the thickness of 50 microns (+/- 10), Colour- Graphite Grey with minimum 01 year of guarantee.	10 Nos.		
05	Office Almirah (Small)	Almirah Plain with minimum 03 shelves Almirah of size 1270H x 765W x 440D multi bend construction and inter locking design and full length over apping doors and sides. Three-way bolting mechanism. Spot welding & CO2 welding. Anticorrosion treated components, oven baked powder coating process. Material thickness 0.9mm.Top, Bottom,LH & RH sides and back material thickness= 0.9mm,Removable RH & LH main door with stiffeners material thickness= 0.9mm, adjustable shelves of thickness= 0.8mm	01 Nos.		
06	Visitor Chair, make	seat/back assembly: The seat and back should be made from seasoned wood and plywood. The same should be upholstered with black synthetic leather and polyurethane foam. back size: 46.0cm. (w) x 27.0cm. (h) seat size: 46.0cm. (w) x 40.0cm. (d)armrest tube: the armrest tube should be made of 0 2.54 ±0.03cm. x 0.2 ±0.016cm.thk. M.S. E.R.W. tube and powder coated (DFT 40-60 microns).understructure assembly: The understructure assembly should be a cantilever type frame made of 0 2.54 ±0.03cm. x 0.2 ±0.016cm.thk. M.S. E.R.W. tube and powder coated (DFT 40-60 microns). Overall Dimensions of ChairSeat Height - 48.0 cm.Height - 87.5cm.Width & Depth of Chair as measured from base - Width-58.0 cm and Depth-56.5 cm.	43 Nos.		
07	Chair (Plastic),	Heavy Duty Build with 125 kg Load Capacity, Size-60.7D x 57W x 90H Centimeter, Made from durable virgin plastic material, the chair supports up to 125 kg, ensuring reliable strength, stability, and long-	20 Nos.		

		term performance, with arm rest and with minimum 02 year of guarantee.			
08	Wooden small rack reputed make.	Wooden small rack with minimum three rack compactible for office uses.	01 Nos.		
09	Office Chair	Medium Back Chair. seat/back assembly, The back is made up of 1.2 ±0.1cm. thick hot-pressed plywood & seat is made up of 1.5 ±0.1cm. thick hot-pressed plywood measured and upholstered with fabric upholstery covers and moulded Polyurethane foam. mid back size 51.5 cm. (w) x 82.0 cm. (h)seat size 53.5 cm. (w) x 51.0 cm. (d)high resilience (hr) polyurethane foam ,hardness load 14 ± 2 kgf as per IS:7888 for 25% compression.armrests. The adjustable armrest is designed with the following features· Up-Down adjustment– 6 steps (7.2 ± 0.5cm range)· Armrest top is mounted on Armrest structure made of glass filled Nylon.· 3 position locking with anti shock mechanism.· Tilt tension adjustment pneumatic height adjustment, The twin wheel castors are injection moulded in Black nylon.width (w): 76.1 cm.depth (d): 76.1 cm.height (h): 113.5-123.5 cm.seat height (sh): 46.0-56.0 cm.	17 Nos.		

TERMS AND CONDITIONS:

1. The quotationer shall quote the per unit rate including of GST, transportation/loading-unloading/fitting charges/wiring charges and other expenses.
2. The quotationer shall submit the quoted rate both in figures and in words with proper visibility duly signed.
3. The quotation shall be received on their letter head in a sealed envelope.
4. There shall be no guarantee that the work will be awarded for the rates quoted under the above quotation.
5. Quotation with condition will not be accepted.
6. For terms and conditions and special information related to the quotation, the undersigned office may be contacted during office hours.(Mob no- 9899236061)
7. Quotations submitted through Registered Post or official e-mail ID – eeimehri2018@gmail.com will be accepted up to 15.10.2026, Time- up to 05:00 PM.
8. The quotation shall be submitted in the above prescribed format on the bidder's Letter Pad. The name and address and contact/mobile number of the agency/supplier must be clearly mentioned on the quotation envelope.
9. Quotationer must attach a self-attested photocopy of GST Registration and PAN Card with the quotation.
10. The undersigned reserves the right to accept/reject the quotation without assigning any reason.
11. The quantity of the items may be increase or decrease.
12. The quotationer shall mention the make, model no. and Specification of the equipment offered by them in the "Remark" column.

13. The undersigned reserves the right to cancel the quotation at any stage or for any corrigendum.

14.All materials supplied by the contractor should be as per the prescribed ISO/ISI standards, certified, and shall be covered with a guarantee.

15. No additional cost will be paid to the supplier for maintenance/repair/replacement of the above items during the said guarantee/warranty period.

16. Deduction shall be made as per departmental provisions.

17. Quotationer may quote the rate of either group-1 or group-02 or both the group-01 and group-02 in prescribed format.

18. The work shall be allotted after approval from the Competent Authority and payment shall be made after receiving the fund.

19. The supplier should have to sign a Affidavit (attached with this NIQ) about 100% compliance with the specifications and not black listed.

20. The supplier should provide the guarantee/warranty card at the time of supply.

01/10/26

Executive Engineer (Mech)

Irrigation Mechanical Division, Dehri

01/10/26
EO(M)

01.10.2026

AFFIDAVIT

I, the undersigned, hereby certify that all the items/materials/equipment offered by me against this quotation conform 100% to the specifications and technical requirements prescribed in the quotation document. I further certify that all statements and documents submitted by me are true, correct and complete and I follows all terms and condition mentioned above.

I understand that if any statement, specification or document submitted by me is found to be false, forged or misleading, I shall be liable for rejection of the quotation and departmental action may be taken against me.

Name of the Quotationer/Firm: _____

Name & Signature of Authorized Signatory with Date: .....